



3500 | 9700 Series

When you combine Telematrix's legendary performance with the style of our new 3500 | 9700 series hotel telephones, you get an elegant functionality that will fit into any of your hotel décors. The 3500 | 9700 series telephones are a perfect fit! To further match your hotel's décor, choose from any of 4 standard or custom color accents. Functionality includes our patented OneTouch voice mail technology for hands-free auto-dialing and retrieval, and an integrated Ethernet pass-through port for guest connectivity, (IP models only).

The 9700 series also boasts AutoSync pairing, which automatically registers the remote 9700 Series cordless handsets with the base unit when in the cradle to avoid failures from misplaced handsets. Our optional battery backup feature also helps assure guest connectivity during power outages

Analog & VoIP Corded Highlights

- Available in 1 or 2-line configurations
- USB charging port optional
- Speakerphone or non-speakerphone
- 0, 3, 5 or 10 programmable Guest Service Keys
- Patented OneTouch voice mail retrieval technology
- Dual Neon / LED message-waiting light / SIP Standard voicemail messaging (VoIP phones)
- LED indicator lights for Speaker, Mute, & Hold keys, Line 1, Line 2 keys (2-line models only)
- 3-way conference calling (2-line models only)
- Industrial grade construction with matte finish
- Non-slip base
- Available in Cool Gray or Black



USB charging port optional!



Accent Colors

For an additional charge, choose from four accent color options to match your brand, office, or guest room décor. For accent color part numbers, add the following suffixes at the end of the cool gray or black part number.

Red = RED / Blue = BLU / Bronze = BRZ / Silver = SLV Example: 3500MWD
Black with Red Accent = 35A110S10DRED

9700 | 3500 Series SPECIFICATIONS

Analog & VoIP Cordless Highlights

- Available in 1 or 2-line configurations with speakerphone
- USB charging port optional
- Supports up to 4 handsets (base model and three remotes)
- 0, 3 or 6 guest service keys available on cordless handsets
- 5 or 10 programmable guest service keys on base unit
- Patented OneTouch voice mail retrieval technology
- Dual Neon/LED message-waiting light
- LED indicator lights for Speaker, Mute, & Hold keys, Line 1 & Line 2 keys (2-line models only)
- HAC/VCH (ADA) compliant handset volume boost
- Cordless phones available in 1.8 GHz, 1.9 GHz, or 2.4 GHz frequencies Q
- 3-way conference calling (2-line models only)
- Easy Access™ data port (Analog)
- Dual Port (10/100) for HSIA (VoIP)
- Industrial grade construction with matte finish
- Non-slip base
- Available in Cool Gray or Black

9700 PACKAGE CONTENTS

- 9700 Series base
- Handset
- RJ45 line cord
- RJ14 line cord, 12 ft/3.66 m (Analog)
- AC Adapter (Analog only)
- Faceplates for handset & base
- Overlays for handset & base

9700 Handset Kit



3500 Trimline

3500 PACKAGE CONTENTS

- 3500 Series base
- Handset
- RJ45 line cord
- RJ14 line cord, 12 ft/3.66 m (Analog)
- AC Adapter for analog USB model only
- Faceplates for base
- Overlays for base

Matching 3500 Trimline or 9700 Handset Kits available.

9700 | 3500 Series SPECIFICATIONS

- **Standard Colors:** Cool Gray or Black
- **Faceplate Size:** Full length
- **Packaging:** 10 per carton
- **Packaging:** 20 per carton (Trimline)
- **Footprint:** 7.91"(200.9mm) (l) x 5.8"(146.9mm) (h) x 5.9"(149.9mm) (w)
- **Weight :** Analog 1.4lbs. (0.64kg) / VoIP 2.0 lbs. (0.9kg)
- **Line Voltage:** 24 to 56 VDC Non-Polarity
- **Certifications:** Analog FCC Part 68, FCC Part 15 & UL 1459 Ref. CE ETL
- **Certifications:** VOIP FCC Part 15 Subpart B: 2009
- **Safety Standard:** UL - 60950-1 2nd edition ADA/HAC
- **Frequency:** 1.9 GHz , 1.8 GHz or 2.4 GHz
- **Power:** Analog adapter / VoIP Power over Ethernet 802.3af Compliant
- **Power:** Remote charging station w/ handset, battery, & A/C adapter
- **Flash Timing:** Flash Timing (analog): 600ms (default)
- **Handset Cord:** 10 ft (3.048m)
- **Line Cord:** RJ45 Line Cords—12 ft/3.66 m
- **Line Cord (Analog):** RJ14 Line Cord—12 ft/3.66 m
- **Standby Time:** 10 days (Cordless)
- **Talk Time:** 6 hours (Cordless)
- **Range:** 100ft (30m) (Cordless)

Part Numbers | 9700 Cordless

VoIP Single-Line Speakerphone

- **9700IPMWD5 (5 GSK)** : 97V51319S5D3 (Cool Gray) / 97V11319S5D3 (Black)
- **9700IPMWD (10 GSK)** : 97V51319S10D3 (Cool Gray) / 97V11319S10D3 (Black)

VoIP Two-Line Speakerphone

- **9702IPMWD5 (5 GSK)** : 97V52319S5D3 (Cool Gray) / 97V12319S5D3 (Black)
- **9702IPMWD (10 GSK)** : 97V52319S10D3 (Cool Gray) / 97V12319S10D3 (Black)

VoIP Handsets Kit

- **9700IP HDKIT - 1 Line:** 97V51319S0HK3 (Cool Gray) / 97V11319S0HK3 (Black)
- **9702IP HDKIT - 2 Line :** 97V52319S0HK3 (Cool Gray) / 97V12319S0HK3 (Black)

VoIP Handsets Kit

- **9700MWD5 (5 GSK):** 97A51319S5D (Cool Gray) / 97A11319S5D (Black)
- **9700MWD (10 GSK)** : 97A51319S10D (Cool Gray) / 97A11319S10D (Black)

Analog Two-Line Speakerphone

- **9702MWD5 (5 GSK)** : 97A52319S5D (Cool Gray) / 97A12319S5D (Black)
- **9702MWD (10 GSK)** : 97A52319S10D (Cool Gray) / 97A12319S10D (Black)

Analog Handset Kit

- **9700HDKIT - 1 Line :** 97A51319S0HK (Cool Gray) / 97A11319S0HK (Black)
- **9702HDKIT - 2 Line :** 97A52319S0HK (Cool Gray) / 97A12319S0HK (Black)

Part Numbers | 3500 Corded

VoIP Single-Line Non-Speakerphone

- **3500IP LBY (0 GSK, Lobby)** : 35V50N0L3(Cool Gray) / 35V10N0L3(Black)
- **3500IP MWB (0 GSK)** : 35V510N0D3(Cool Gray) / 35V110N0D3(Black)

VoIP Single-Line Speakerphone

- **3500IP MWD5 (5 GSK)** : 35V510S5D3(Cool Gray) / 35V110S5D3(Black)
- **3500IP MWD (10 GSK)** : 35V510S10D3(Cool Gray) / 35V110S10D3(Black)

VoIP Two-Line Speakerphone

- **3502IP MWD5 (5 GSK):** 35V520S5D3(Cool Gray) / 35V120S5D3(Black)
- **3502IP MWD (10 GSK)** : 35V520S10D3(Cool Gray) / 35V120S10D3(Black)

VoIP Trimline

- **3500IP TRM (1 Line):** 35V510N3T3(Cool Gray) / 35V110N3T3(Black)
- **3502IP TRM (2 Line)** : 35V520N3T3(Cool Gray) / 35V120N3T3(Black)

Analog Single-Line Non-Speakerphone

- **3500LBY (0 GSK, Lobby)** : 35A50N0L(Cool Gray) / 35A10N0L(Black)
- **3500MWB (0 GSK)** : 35A510N0D(Cool Gray) / 35A110N0D(Black)
- **3500MW3 (3 GSK)** : 35A510N3D(Cool Gray) / 35A110N3D(Black)
- **3500MW5 (5 GSK)** : 35A510N5D(Cool Gray) / 35A110N5D(Black)
- **3500MW10 (10 GSK)** : 35A510N10D(Cool Gray) / 35A110N10D(Black)

Analog Single-Line Speakerphone

- **3500MWS (0 GSK)** : 35A510S0D(Cool Gray) / 35A110S0D(Black)
- **3500MWD3 (3 GSK)** : 35A510S3D(Cool Gray) / 35A110S3D(Black)
- **3500MWD5 (5 GSK)** : 35A510S5D(Cool Gray) / 35A110S5D(Black)
- **3500MWD (10 GSK)** : 35A510S10D(Cool Gray) / 35A110S10D(Black)

Part Numbers | 3500 Coded

Analog Two-Line Speakerphone

- **3502MWS (0 GSK)** : 35A520S0D(Cool Gray) / 35A120S0D(Black)
- **3502MWD3 (3 GSK)** : 35A520S3D(Cool Gray) / 35A120S3D(Black)
- **3502MWD5 (5 GSK)** : 35A520S5D(Cool Gray) / 35A120S5D(Black)
- **3502MWD (10 GSK)** : 35A520S10D(Cool Gray) / 35A120S10D(Black)

Analog Trimline

- **3500TRM (1 Line)** : 35A510N0T(Cool Gray) / 35A110N0T(Black)

Part Numbers | 9700 Cordless

VoIP Single-Line Speakerphone USB

- **9700IPMWD5 (5 GSK)** : 97V51319S5DU3 (Cool Gray) / 97V11319S5DU3 (Black)
- **9700IPMWD (10 GSK)** : 97V51319S10DU3 (Cool Gray) / 97V11319S10DU3 (Black)

VoIP Two-Line Speakerphone USB

- **9702IPMWD5 (5 GSK)** : 97V52319S5DU3 (Cool Gray) / 97V12319S5DU3 (Black)
- **9702IPMWD (10 GSK)** : 97V52319S10DU3 (Cool Gray) / 97V12319S10DU3 (Black)

VoIP Handsets Kit USB

- **9700IP HDKIT - 1 Line** : 97V51319S0HKU3(Cool Gray) / 97V11319S0HKU3(Black)
- **9702IP HDKIT - 2 Line** : 97V52319S0HKU3(Cool Gray) / 97V12319S0HKU3(Black)

Analog Single-Line Speakerphone USB

- **9700MWD5 (5 GSK)** : 97A51319S5DU (Cool Gray) / 97A11319S5DU (Black)
- **9700MWD (10 GSK)** : 97A51319S10DU (Cool Gray) / 97A11319S10DU (Black)

Analog Two-Line Speakerphone USB

- **9702MWD5 (5 GSK)** : 97A52319S5DU (Cool Gray) / 97A12319S5DU (Black)
- **9702MWD (10 GSK)** : 97A52319S10DU (Cool Gray) / 97A12319S10DU (Black)

Analog Handset Kit USB

- **9700HDKIT - 1 Line** : 97A51319S0HKU (Cool Gray) / 97A11319S0HKU (Black)
- **9702HDKIT - 2 Line** : 97A52319S0HKU (Cool Gray) / 97A12319S0HKU (Black)

Part Numbers | 3500 Coded

VoIP Single-Line Speakerphone USB

- **3500IP MWD5 (5 GSK)** : 35V510S5DU3(Cool Gray) / 35V110S5DU3(Black)
- **3500IP MWD (10 GSK)** : 35V510S10DU3(Cool Gray) / 35V110S10DU3(Black)

VoIP Two-Line Speakerphone USB

- **3502IP MWD5 (5 GSK)** : 35V520S5DU3(Cool Gray) / 35V120S5DU3(Black)
- **3502IP MWD (10 GSK)** : 35V520S10DU3(Cool Gray) / 35V120S10DU3(Black)

Analog Single-Line Non-Speakerphone USB

- **3500MW3 (3 GSK)** : 35A510N3DU(Cool Gray) / 35A110N3DU(Black)
- **3500MW5 (5 GSK)** : 35A510N5DU(Cool Gray) / 35A110N5DU(Black)
- **3500MW10 (10 GSK)** : 35A510N10DU(Cool Gray) / 35A110N10DU(Black)

Analog Single-Line Speakerphone USB

- **3500MWS (0 GSK)** : 35A510S0DU(Cool Gray) / 35A110S0DU(Black)
- **3500MWD3 (3 GSK)** : 35A510S3DU(Cool Gray) / 35A110S3DU(Black)
- **3500MWD5 (5 GSK)** : 35A510S5DU(Cool Gray) / 35A110S5DU(Black)
- **3500MWD (10 GSK)** : 35A510S10DU(Cool Gray) / 35A110S10DU(Black)

Analog Two-Line Speakerphone USB

- **3502MWS (0 GSK)** : 35A520S0DU(Cool Gray) / 35A120S0DU(Black)
- **3502MWD3 (3 GSK)** : 35A520S3DU(Cool Gray) / 35A120S3DU(Black)
- **3502MWD5 (5 GSK)** : 35A520S5DU(Cool Gray) / 35A120S5DU(Black)
- **3502MWD (10 GSK)** : 35A520S10DU(Cool Gray) / 35A120S10DU(Black)